

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sr. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	Dr.Mukesh jain Director, Vardhman Trauma & Laparoscopy Centre Pvt. Ltd.
	(ii) Name of HCF or CBMWTF	:	Vardhman Trauma & Laparoscopy Centre Pvt. Ltd.
	(iii) Address for Correspondence	:	Vardhman Trauma & Laparoscopy Centre Pvt. Ltd.
	(iv) Address of Facility	:	3 rd km Jansath Road, Muzaffarnagar (U.P.) 251001
	(v) Tel. No, Fax. No	:	
	(vi) E-mail ID	:	qualityvardhman@gmail.com
	(vii) URL of Website	:	www.vardhmanhospital.com
	(viii) GPS coordinates of HCF or CBMWTF	:	No
	(ix) Ownership of HCF or CBMWTF	:	Private
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.BMW-23/MZR/2003 Valid upto: 13/09/2022
	(xi). Status of Consents under Water Act and Air Act.	:	Valid upto:- 31/07/2022
2	Type of Health Care Facility	:	HOSPITAL
	(i) Bedded Hospital	:	No. of Beds: 50
	(ii) Non-bedded hospital Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry	:	NA
3	Details of CBMWTF	:	NA
	(i) Number of health care facilities covered by CBMWTF	:	NA
	(ii) No. of Beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	_____ Kg / day NA
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	_____ Kg / day NA
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	<i>Yellow Category: 1675 KG/Annum</i> <i>Red Category: 1233kg/Annum</i> <i>White: 347.5kg/Annum</i> <i>Blue Category: 593kg/Annum</i> <i>General Solid Waste:</i>
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		
	(i) Details of the on-site storage facility	:	Size:....10X10 Ventilated

			Capacity: Provision of on-site storage : stored only for one day (24 hrs.)		
(ii) Disposal facilities			Type of treatment No Capacity Quantity Equipment of Kg/day treated or Units Disposed in Kg per Annum Incinerators.....NA Plasma Paralysis.....NA Autoclaves.....NA Hydroclave NA Shredder & NA Needle tip cutter or Destroyer NA Sharps.....NA Chemical Treatment NA Encapsulation orNA Concrete pit.....NA Deep Burial Pits.....NA Chemical.....NA Disinfection:.....NA Any other treatment equipment NA		
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:		Red Category (like plastic, glass, etc.) Disposed to CBMWTF		
(iv) No. of Vehicles used for collection and transportation of biomedical waste	:		Closed Van		
Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum				Quantity Generated	Where disposed
			Incineration		
			Ash		
			ETP Sludge		
Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of			Ms. Enviro & connection LCP waste Hapur Gaziabad (UP)		
(vii) List of member HCF not handed over bio-medical waste.				
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.			NO		

Details trainings conducted on BMW		
(i) Number of trainings conducted on BMW Management.		12
(ii) Number of personnel trained		25
(iii) Number of personnel trained at the time of induction		
(iv) Number of personnel not undergone any training so far		04 (New recruitment)
Whether standard manual for training is available?	Yes.....
8 Details of the accident occurred during the year	Nil.....
(i) Number of Accidents occurred	Nil.....
(ii) Number of persons affected	NA.....
Remedial Action taken (Please attach details if any)	NA...
(iv) Any Fatality occurred, details		
9 Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		No incinerator installed, BMW Supplied to CBMWTF.
Details of Continuous online emission monitoring systems installed	NA.....
10 Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		2KL/day treated in own STP (installed)
11 Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Yes meeting all standards of disinfection
12 Any other relevant information		(Air Pollution Control Devices attached with the Incinerator) HCF

Certified that the above report is for the period from: - 14/09/2019 to 13/09/2022

Name and Signature of the Head of the Institution

Date: 11/01/2022
Place: Muzaffarnagar

